	Application No.	Applicant(s)
Notice of Allowability	Application No.	Applicant(s)
	09/538,015 Examiner	BEN-MICHAEL ET AL. Art Unit
	Lxammer	Art Onit
	Brian D. Nguyen	2661
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	pplication. If not included not be mailed in due course. THIS
1. This communication is responsive to the amendment filed	on 3/29/05.	
2. X The allowed claim(s) is/are <u>1, 4, 8-10, 12-16, and 18-19 (re</u>	enumbered 1-12, respectively).	
3. \square The drawings filed on <u>29 March 2005</u> are accepted by the	Examiner.	
4. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the:		
 Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	S'S AMENDMENT or NOTICE OF ation is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) including changes required by the Notice of Draftspers	- •	-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the 0	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Motice of Informal F	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	· · · · · · · · · · · · · · · · · · ·
_	Paper No./Mail Da	tè <u>08102005</u> .
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. ⊠ Examiner's Amendo	menvComment
1. ☐ Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	m Hille de la
		NGUYEN 8/10/05

Application/Control Number: 09/538,015 Page 2

Art Unit: 2661

`\

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Mark L. Watson on 8/9/05.

The application has been amended as follows:

AMENDMENT TO THE SPECIFICATION

On page 2, lines 6-7, delete "See www.homepna.org".

AMENDMENT TO THE CLAIMS

Claims 2-3, 5-7, and 11 are cancelled.

Replace claims 1, 4, 8-10, 12-16, and 18-19 with the following claims:

Claim 1 (currently Amended) A method used by a device to resolve link frame collision, the method comprising:

- (i) transmitting a link frame from the device if the device has not transmitted a frame in the last x seconds, where x is a positive real number;
- (ii) if a frame collision is detected during step (i), the device transmits a link frame at a time interval after the last link frame transmission of the device has ended;
- (iii) the device repeating step (ii) each time a frame collision is detected until the number of link frame transmission since the occurrence of step (i) equals a specified limit; and

Page 3

(iv) if in performing step (iii) the number of link frame transmission since the occurrence of step (i) equals the specified limit, the device performing steps (i) and (ii) upon allowing a random interval of time to elapse after the last link frame transmission of the device has ended.

Claim 4 (Original) The method as set forth in claim 1, wherein the time interval is an Inter Packet Gap (IPG).

Claim 8 (currently Amended) A device comprising:

a transceiver for transmitting and receiving frames on a network; and

a finite state machine; wherein

while the finite state machine is in a first state, the device monitors frame transmissions by the transceiver;

while the finite state machine is in a second state, the device transmits link frames such that each link frame is transmitted at a time interval after the last link frame transmission has ended;

while the finite state machine is in a third state, the device does not transmit any link frames, wherein the finite state machine transitions from the third state to the first state after a random time interval upon entering the third state;

the finite state machine transitions from the first state to the second state if there has been no frame transmission for a time period;

the finite state machine causes the transceiver to transmit a link frame when transitioning from the first state to the second state; and

the finite state machine transitions from the second state to the first state if no frame collision is detected since the last link frame transmission.

Claim 9 (Currently Amended) The device as set forth in claim 8, wherein

the finite state machine transitions from the second state to the third state if the number of link frame transmissions since entering the second state is equal to a specified limit.

Claim 10 (Currently Amended) The device as set forth in claim 9, wherein while the finite state machine is in the first state or the third state, a PHY-to-MAC transmit-clock signal is enabled; and

while the finite state machine is in the second state, the PHY-to-MAC transmit-clock signal is disabled.

Claim 12 (currently Amended) A device comprising:

a transceiver for transmitting and receiving frames on a network; and

a finite state machine; wherein

while the finite state machine is in a first state, the device monitors frame transmissions by the transceiver;

while the finite state machine is in a second state, the device transmits link frames such that each link frame is transmitted at a time interval after the last link frame transmission has ended, wherein the time interval is an Inter Packet Gap (IPG);

while the finite state machine is in a third state, the device does not transmit any link frames, wherein the finite state machine transitions from the third state to the first state after a random time interval upon entering the third state;

the finite state machine transitions from the first state to the second state if there has been no frame transmission for a time period;

the finite state machine causes the transceiver to transmit a link frame when transitioning from the first state to the second state; and

the finite state machine transitions from the second state to the first state if no frame collision is detected since the last link frame transmission.

Claim 13 (Currently Amended) The device as set forth in claim 12, wherein the finite state machine transitions from the second state to the third state if the number of link frame transmissions since entering the second state is equal to a specified limit.

Claim 14 (currently Amended) The device as set forth in claim 13, wherein while the finite state machine is in the first state or the third state, a PHY-to-MAC transmit-clock signal is enabled; and

while the finite state machine is in the second state, the PHY-to-MAC transmit-clock signal is disabled.

Claim 15 (Currently Amended) A device comprising:

a transceiver for transmitting a first link frame if the device has not transmitted a frame for a time period;

a collision detector, wherein if a first collision is detected by the collision detector during transmitting the first link frame, the device transmits a second link frame at a time interval equal to an Inter Packet Gap (IPG) after transmission of the first link frame;

a free-running counter; and

an oscillator to clock the free-running counter, wherein the free-running counter provides a random time interval so that if a number-of-collisions counter is equal to a specified limit when

another frame collision is detected, the random time interval is allowed to elapse before another link frame is to be transmitted.

Claim 16 (Currently Amended) The device as set forth in claim 15, wherein the number-of-collisions counter is changed by an increment if the collision detector detects a second collision when the device transmits the second link frame.

Claim 18 (Currently Amended) A communication system comprising:

a network comprising a home phone line; and

a device coupled to the network to transmit and receive frames, the device comprising:

a transceiver for transmitting a first link frame if the device has not transmitted a frame for a time period;

a collision detector, wherein if a first collision is detected by the collision detector during transmitting the first link frame, the device transmits a second link frame a time interval equal to an Inter Packet Gap (IPG) after transmission of the first link frame;

a free-running counter; and

an oscillator to clock the free-running counter, wherein the free-running counter provides a random time interval so that if a number-of-collisions counter is equal to a specified limit when another frame collision is detected, the random time interval is allowed to elapse before another link frame is to be transmitted.

Claim 19 (Currently Amended) The communication system as set forth in claim 18, wherein the number-of-collisions counter is changed by an increment if the collision detector detects a second collision when the device transmits the second link frame.

Application/Control Number: 09/538,015 Page 7

Art Unit: 2661

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian D. Nguyen whose telephone number is (571) 272-3084. The examiner can normally be reached on 7:30-6:00 Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau Nguyen can be reached on (571) 272-3126. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, confact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

8/10/02

BRIAN NGUYEN PRIMARY EXAMINER